Index

Reactor Fuel Processing

Volume 7

Note: The page range for each of the four issues of Vol. 7 is as follows: No. 1, pages 1 to 82; No. 2, pages 83 to 156; No. 3, pages 157 to 222; and No. 4, pages 223 to 304.

A

A-nickel alloys, corrosion in chloride-volatility process, 243-4
Accidents, economics of, 6-7
  fire at Hanford Pu-purification facility, 297-303
  rupture of anion-exchange column for Pu purification at Fontenay-aux-Roses, 303-4
Actinides
  See Rare earths and specific elements by name
Adsorption
  See specific adsorbents and materials being adsorbed
Advanced Gas-Cooled Reactor
  See Reactors (Advanced Gas-Cooled)(AGR)
Agitation, effects on reduction reactions in liquid-metal–fused-salt systems, 259
AGR
  See Reactors (Advanced Gas-Cooled)(AGR)
Air, effects on high-temperature properties of steels, 44
AIROX process, 47-8, 123, 195, 264
Alkali metals (liquid), corrosion by, 121
  corrosion mechanisms in, 261
Alkylamides, di-, solvent properties, comparison with TBP, 93-4
Allis-Chalmers Mfg. Co., economic comparison of integrated centralized processing plants for PCUT, 225
Allis-Chalmers Plant (CNEN)
  See PCUT
Allied Chemical Corp. plant, contract renewal, 83-4
Alumina
  See Aluminum oxide
Aluminum, dissolution in Nitrofluor process, 180
  removal, of Hg from waste solutions by packed columns, 282-3
  from U ingots by volatilization during electron-beam melting, 36-7
  solubility, in fused $KF-ZrF_4$ systems, 184-5
  in Hg, 41
Aluminum alloys (Al-Pu), dissolution of highly irradiated, use of NaOH for Al phase, 230-1
  processing by TBP process, 14-16
Aluminum alloys (Al-U), dissolution, in recirculating dissolver at ICPP, 234-5
  of highly irradiated, use of NaOH for Al phase, 230
  hydrochlorination, 245
  processing, by chloride-volatility process, 243-5
  by EUREX process, 90-2
  by fluoride-volatility process, 241-4
  by fused-salt volatility process, 183-6, 248-50
  sintering-aid use in production of UC, 265-6
Aluminum fluoride systems ($AlF_3-KF-ZrF_4$), phase diagram, 249
Aluminum fluoride systems ($AlF_3-KF-ZrF_4$) (fused), dissolution of Al-U alloys, 249
Aluminum oxide, conversion to vitreous form for permanent waste storage, 279
Amberlite IR-400 resin, Ru adsorption from Purex waste, 132
Americium, final disposal in deep rock chambers, 283-4
  preparation from oxide by reduction with La, 192
  separation by liquid-metal–fused-salt extraction, 118
Americium-243, separation, 94-5, 232-3
AMF Atomics, 224
  design of head-end equipment for Japan Atomic Fuel Corp., 224
Ammonia, reduction of UO_3, 72
Ammonium fluoride, reactions, with PuF_4, 27
  with UF_4, 27
Ammonium polyuranate, conversion to UF_4 in pulsed-bed reactor, 291
Andrade's equation, 41
Antimony, distribution between liquid Bi and LiCl-KCl phases, 41
  solubility in Hg, 41
  volatilization in salt-cycle process, 262
Antimony-125, removal by fused-salt volatility process, 32
Aqueous processing, 8-21, 88-104, 167-79, 230-40
Argon, N_2 removal from, 251, 254
  protective atmosphere in EBR-II Fuel-Cycle Facility, 114-15, 250-4
Ashing, use in processing, of graphite-ThC_2 fuels, 231
  of graphite-UC_2 fuels, 231
Australia, commercial plant proposal, 1
AVR
  See Reactors (AVR) Atomic Power Station

B

Babcock & Wilcox plant, 4
Barium, removal, by melt-refining process, 36
  by skull reclamation process, 37
Barium fluoride systems (BaF_2-CeF_3-LiF), Ce recovery by electrowinning, 40
Battelle Memorial Institute, transfer of Hanford Laboratories to, 223
Berkelium, separation, 95
Beryllium, electrorefining, 118-19
  production by electrolysis, 40
  recovery from Be-moderated reactor fuel, 92-3
Beryllium oxide, Pa removal from MSRE blanket by, 264
  U removal from MSRE blanket by, 264
Bibliographies and literature surveys, fused-salt volatility process development, 250
  liquid metals, 45
  oxidation-fluorination process, 245
  reduction of Pu compounds, 259
  Rover fuel processing, 250
Bismuth (liquid), corrosion mechanisms in, 261
  viscosity, 42
Bismuth alloys (Bi-Li), evidence for existence in molten-salt solution, 260
Bismuth alloys (Bi-Th), ^{233}U recovery by pyrometallurgical process, 259
Bismuth systems (Bi-KCl-LiCl)(fused), Sb distribution studies, 41
  Cu distribution studies, 258
Blanket
  See Breeder blankets
Bodega Bay Power Reactor
  See Reactors (Bodega Bay)
Books, *Uranium, Metallurgy of the Rarer Metals*, 255
Boron, use as poisons for criticality control in processing equipment, 175-6
Borosilicate glass
  See Vycor glass
Breeder blankets, MSRE, Pa and U removal, 264
  Pu recovery in EBR-II blanket process, 257
  ^{233}U recovery from Th alloys, 259
Bromine fluoride systems (BrF_5-UF_6), UF_6 separation by distillation, 248
Brookhaven Graphite Reactor
  See Reactors (Brookhaven Graphite)
Burning
  See Ashing and Oxidation

C

Cadmium, distribution between liquid Bi and LiCl-KCl phases, 41
  flash distillation from Bi-Pb eutectic, 192-3
Cadmium (liquid), mass transfer of U to, 260-1
  Pu dissolution, 40-1, 120, 260

Cadmium alloys (Cd-Eu), phase studies, 41
Cadmium alloys (Cd-Gd), phase studies, 41
Cadmium alloys (Cd-La), thermodynamic properties, 192, 260
Cadmium alloys (Cd-Mg-Zn)(liquid), solubility of U in, 257-8
use in liquid-metal–fused-salt extraction, 118
Cadmium alloys (Cd-Pu), phase studies, 41
thermodynamic properties, 260
Cadmium alloys (Cd-Yb), phase studies, 41
Calcination, fluid-bed, 57, 60-2, 205-6, 276-9
pot, 57-9, 62-6, 135, 207-8, 280-3
rotary-ball kiln, 208-10
spray, 134-5, 206-7
Calcium, precipitation from waste solutions, 56
Calcium alloys (Ca-Zn)(liquid), solubility of Pu-U alloys in, 40-1
Calcium fluorides (CaF_2), absorption of PuF_6, 33
Calcium nitrate, sulfate volatility suppression in pot calcination, 62
Calcium oxide, Pa removal from MSRE blanket by, 264
U removal from MSRE blanket by, 264
Californium, separation, 95
by liquid-metal–fused-salt extraction, 118
Cap de la Hague processing plant, 158-9
Carbon, coating of UC particles, 76
effect of Pu volatilization during carbothermic reduction of U_3O_8, 266
Carbon (pyrolytic), coating of UO_2 particles, 73-4
Carbon chlorides (CCl_4), reactions with uranium oxides, 24
Carbon sulfides (CS_2), reactions, with PuF_6, 26
with UF_6, 26
CARBOX process, 195-7, 264-5
Centrifugal contactors
See Contactors (centrifugal)
Centrifugation, liquid wastes in ion-exchange beds, 270-2
Ceramics, coating UC with, 217-18
Cerium, adsorption on soils, 133
leaching from impregnated graphite fuels, 189
production by electrowinning, 40
recovery from Purex waste, 284-6
reduction from salts, 192
removal by ion exchange, 131
by melt-refining process, 36
retention by waste–cement-mix slurries, 140-1
Cerium (liquid), physical properties, 42
Cerium-144, decontamination factors in salt-cycle process, 262
Cerium alloys (Ce-Co-Pu)(liquid), corrosion of Ta and Ta alloys, 260-1
Cerium alloys (Ce-Zn), thermodynamic properties, 192
Cerium fluoride systems (BaF_2-CeF_3-LiF), Ce recovery by electrowinning, 40
Cesium, adsorption on soils, 133
removal, from liquid waste by ion-exchange process, 131, 133-4, 269-70
by skull reclamation process, 37
from slightly contaminated water, 273
by volatility processes, 182
retention by waste–cement-mix slurries, 140-1
separation from wastes by Phenex process, 67-9
Cesium-137, decontamination factors, in salt-cycle process, 262
for Waste-Calcining Facility off-gases, 276-278
final disposal in deep rock chambers, 283-4
removal, by fused-salt volatility process, 32
by ion exchange, 54-6
separation from waste streams, 141-2
Cesium chloride, reactions with fluorine, 113
Cesium chloride systems (CsCl-LiCl)(fused), spectrophotometric studies of plutonium species in, 262-3
use in salt-cycle process, 46
Cesium fluoride, reactions with uranyl fluoride, 27
CETR
See Reactors (Indian Point Power)(CETR)
Chloride-volatility processes, 22-4, 106-9, 111, 241-4
Chlorides (fused), reactions with UO_2, 122-3
Chlorination, use in processing, of graphite-ThC_2 fuels, 231
of graphite-UC_2 fuels, 231
Chlorine, reactions with UO_3, 122-3
Chlorine fluorides (ClF_3), reactions, with UF_4, 26
with UO_2F_2 for UF_6 production, 247-8
Chop-leach process, 8, 9-10, 224
Chromium, adsorption on soils, 133
distribution between liquid Bi and LiCl-KCl phases, 41
reduction from salts, 192
removal by volatilization, 37
solubility in Hg, 41, 43-4
Chromium alloys
See alloys by trade name, e.g., Inconel alloy, INOR-8 alloy, Nichrome V alloy, and Stainless steels
Chromium alloys (Cr-Fe-Ni), corrosion, by HF, 12
by HNO_3, 12
by H_2SO_4, 12
Chromium alloys (Cr-U)(liquid), corrosion of W, 43
Chromium fluorides (CrF_3), preparation, 28
Chromium fluorides (CrF_6), preparation, 28
Clarifiers, operation, 54-5
Clays
See Grundite clay
Cobalt, adsorption on soils, 133
distribution between liquid Bi and LiCl-KCl phases, 41
retention by waste–cement-mix slurries, 140-1
solubility in Hg, 41, 120
Cobalt alloys (Ce-Co-Pu)(liquid), corrosion of Ta and Ta alloys, 260-1
Columbium
See Niobium
Commercial aspects, 1-7, 83-7, 157-66, 223-5
Commercial firms, fuel fabrication, survey of, 224
processing of feed material into fuel-grade material, survey of, 224
spent-fuel transportation, survey of, 224
waste disposal, survey of, 224
Commercial plants
See also Commercial firms and specific plants by name
economics, comparison of integrated and centralized, 225
Japan Atomic Fuel Corp., design of, 224
Kerr-McGee Oil Industries, Inc., 224
SRP, acceptance of highly enriched fuels, 224
table, 2
Concrete vaults
See Vaults (concrete)
Conferences and symposia, Fuel Cycles for Nuclear Reactors, Baden-Baden, Germany, September 1963, 34, 84-7, 165
Packaging and Regulatory Standards for Shipping of Radioactive Materials, 1-2
Protactinium Chemistry Symposium, Gatlinburg, Tenn., April 1963, 233
Solvent-Extraction Chemistry Symposium, Gatlinburg, Tenn., Oct. 23–6, 1962, 12-13, 169-79
Solvent-Extraction Chemistry Symposium, Gatlinburg, Tenn., October 1963, 89, 90-2, 94-8
Thorium Fuel-Cycle Symposium, Gatlinburg, Tenn., December 1962, 3-5
Treatment and Storage of High-Level Radioactive Wastes Symposium, Vienna, Oct. 8–12, 1962, 200-13
Vacuum Metallurgy Conference, Boston, 1962, 37
Contactors, centrifugal design, 176-9
pulsed plate column, design and performance, 235-8
Copper, corrosion by F_2, 113
by HF, 12
by HNO_3, 12
by H_2SO_4, 12
distribution between liquid Bi and LiCl-KCl phases, 41, 258
removal of Hg from waste solutions, 282-3
solubility in Hg, 41
Corrosion
See also specific materials being corroded and the specific corrodents
mechanisms in liquid metals, 261
Costs
See Economics
Criticality, control with use of B in process equipment, 175-6
Curium-244, separation, 94-5, 232-3

D

Danish Organic Reactor
See Reactors (Danish Organic)(DOR)
Darex process, calcination of wastes, 62-3
corrosive effects of waste streams, 143-4
D-*s*-BPP
See Phosphonate, di-*sec*-butylphenyl
Decalso, ^{137}Cs removal from liquid waste at SRP, 269
Decladding (chemical), in volatility processes, 182-3
stainless steel, from EBR-II fuel by liquid Zn, 190
from UO_2 by oxidation, 246-7
Zircaloy, by chloride volatility, 241-4
with oxygen, 123
Decladding (mechanical), 8, EBR-II Fuel-Cycle Facility, 114, 250, 252
salt-cycle process, 121-2
SRE fuel, 19
Dejacketing
See Decladding
Denmark, fuel-cycle economics, 86
Density, UC prepared by carbothermic reduction process, temperature effects, 266
Dibutyl phosphoric acid
See Phosphoric acid, dibutyl-
Dibutylphenyl phosphonate
See Phosphonate, di-*sec*-butylphenyl
Direct fluorination processes, processing of UO_2 fuel, 245-6
Dissolution
See as subheading under specific materials
Dissolvers, corrosion, 11-12
for MTR and ETR fuel at ICPP, addition of recirculating leg, 234-5
for SIR fuel, conversion to electrolytic, 234
Dissolvers (electrolytic), ICPP pilot plant, operating data, 234
Distillation, apparatus for liquid metals in skull reclamation process, 256-7
separation, of Cd from Bi-Pb eutectic, 192-3
of UF_6 from fluoride systems by, 248
V purification by, 190
DOR
See Reactors (Danish Organic)(DOR)
Dounreay plant, processing of enriched European reactor fuels, 83
Dowex 1 resin, adsorption, of Cs, 55-6
of fission products, 98
of Ru, 55-6, 132

Dowex 21SK resin, adsorption, of Np, 97
of Pm, 143
Dragon Reactor
See Reactors (Dragon)
Dry halogenation processes, 22-8
Duolite A-14 resin, adsorption of Ru, 132
Duolite C-3 resin, adsorption of Cs, 142-3, 269

E

E-nickel alloy, corrosion in fused-salt volatility process, 31
EBR-II
See Reactors (Experimental Breeder-II) (EBR-II)
EBR-II Fuel-Cycle Facility, 34-6, 114-15, 186-7, 250-4
Economics, 3-6
AEC prices for Pu and ^{233}U as fuel material, 228
comparison, of integrated and centralized fuel-processing plants, 225
of Pu and Al isotopes as fuel for fast reactors, 225-7
of Pu and U isotopes as fuel for thermal reactors, 227-8
final disposal, 135-41
in deep rock chambers, 284
fission-product removal by ion exchange, 131
fuel cycles, 84-5, 160-6
fuel cycles in Denmark, 86
fuel-element fabrication, 162-6
Hanford Isotopes Production Plant, 157-8
UO_2-PuO_2 fuel fabrication, 162-4
Einsteinium, separation, 95
Electrolysis
See also Fused-salt electrolysis
fission-product decontamination factors in salt-cycle process, 262
preparation of pure metals from salts, 40
reduction, of $PuCl_3$ to metal, 119, 219-20
of UO_2 to metal, 39-40, 150
of UO_2Cl_2 to metal, 147-8
U preparation from compounds, 259
Electron beams, melting of refractory and reactive metals, 36-7, 255
Electrorefining, 118-19
Elk River Reactor
See Reactors (Elk River Power)
Engineering Test Reactor
See Reactors (Engineering Test)(ETR)
Equipment
See also Dissolvers, Contactors, Evaporators, Extractors, Furnaces, Melt vessels, and Mixer-settlers
use of B for criticality control, 175-6
ETR
See Reactors (Engineering Test)(ETR)
EUREX plant, 1, 2
EUREX process, 90-2
Eurochemic plant, 2
Europium alloys (Cd-Eu), phase studies, 41
Evaporation, liquid wastes, 200-5
at Savannah River Plant, 269
Evaporators, criticality control by use of poisons in structure, 176
design, 200-5
Experimental Breeder Reactor II
See Reactors (Experimental Breeder II (EBR-II)
Extractors, design, for use in liquid-metal–fused-salt extraction, 191-2

F

Fast plutonium reactors
See Reactors (fast plutonium)
Fast reactors
See Reactors (fast)
Feed materials, processing into fuel-grade material, survey of firms for, 224
Fermium, separation, 95
Filters
See Clarifiers
Final disposal
See Waste disposal
Fires, in Pu-purification facility at Hanford, 297-303
Fission products
See also specific fission products
adsorption on Dowex 1 resin, 98
behavior in liquid U, 188
effects in uranium carbide fuels, 124
leaching from impregnated graphite fuels, 169
recovery from Purex waste, 284-6
relative neutron capture, 47
removal in salt-cycle process, 262
retention by waste–cement-mix slurries, 140-1
separation from waste solutions, 67-9, 141-3
Fixation,
See also Solidification of wastes
waste conversion to glass, 210-12
Floating zone refining, 116
Flowsheets, Am and Cm separation from Pu wastes, 96
calcination, 58, 64, 65
Cs removal from evaporator condensate, 270
chop-leach process, 9
EUREX process, 91
evaporation of liquid wastes, 201-5
fission-product recovery from Purex waste, 271, 285
fluoride-volatility processes, 109, 243
foam separation of wastes, 56, 275
fused-salt volatility process, 30
hydrochlorination of U-Al alloy fuel, 245
ICPP process, 170
ion-exchange decontamination of low-level-activity wastes, 132
Hg removal from waste solutions by packed columns, 283
mixer-settler, 238
N_2 removal from A, 254
PCUT process, 17
Pu purification facility (233-S building at Hanford), 298
pulsed plate column contactor, 236
Purex process, 16
recirculating dissolver for MTR and ETR type fuels at ICPP, 234
rotary-ball kiln calcination, 208
solvent extraction of fission products, 142
TBP process, 15
transuranium-elements separation, 95
transuranium processing plant, 102
UAP process, 152
UF_6 production from UF_4 with O_2, 291
skull reclamation process, 39
Waste Calcining Facility, 276
waste conversion to glass, 212
Winlo process, 153
Fluid beds, F_2 recovery in production of UF_6, 290-1
pulsed type, design, 291
stirred design for UF_4 production, 289-90
UF_4 production using, 288, 289
UF_6 production from UF_4 and O_2, 291
Fluoride-volatility process, 24-8, 106-13, 180-3, 244-8
See also fused-salt volatility process
Fluorides, properties, 25-8
Fluorination processes, 24-5
See also Direct fluorination
Fluorine, corrosion of Cu, 113
reactions, with alkali-metal halides, 113
with Tc, 113
recovery in fluid-bed reactors, 290-1
Foam separation, liquid-waste treatment, 56-7, 134, 273-5
Fontenay-aux-Roses, rupture of anion-exchange column for Pu purification, 303-4
France, Marcoule processing plant, 2
processes and facilities, 158-9
FTW-65 waste, Hg removal from, 282
Fuel cycles, economics, 84-5, 160-6
of fast Pu reactors, 165-6
of U vs. Pu in fast reactors, 225-7
of U vs. Pu in thermal reactors, 227-8
symposia, 37, 84-7, 165
Fuel-cycle services, survey of firms, 224
Fuel disassembly, EBR-II Fuel-Cycle Facility, 114
Fuel elements
See also the specific fuel-element materials, e.g., Aluminum alloys (Al-U), and Uranium Oxides (UO_2)
fabrication plants, economics, 162-6
Fuel elements (Al-U), dissolution in recirculating dissolver at ICPP, 234-5
processing by TBP process, 14-16
by fused-salt volatility process, 183-6
Fuel elements (Al-U)(Al-clad), crushing, 167
decladding by chloride-volatility process, 241-4
dissolution in fused-salt volatility process, 185-6
processing by ICPP process, 169-72
Fuel elements (ceramic), processing by dry halogenation, 24
Fuel elements (enriched), fabrication, monograph, 162
Fuel elements (graphite matrix), processing, by chloride-volatility processes, 108-9
by fluoride-volatility processes, 107-9
fission product, leaching from, 169
Fuel elements (Mo-U)(Al-clad), processing by dry halogenation, 23-4
Fuel elements (natural-uranium), cycle economics, 84
Fuel elements (pins), decanning in EBR-II Fuel-Cycle Facility, 250, 252
fabrication in EBR-II Fuel-Cycle Facility, 250, 253
Fuel elements (pins)(stainless-steel-clad), dissolution in liquid zinc, 190
Fuel elements (plates), crushing, 167
Fuel elements (plutonium), commercial fabrication costs, estimate, 162-6
cycle economics, 86-7
pyrometallurgical processing, 257-9
Fuel elements (Pu-U), processing by liquid-metal–fused-salt extraction, 191
Fuel elements (PuO_2-UO_2), commercial fabrication costs, estimate, 162-6
dissolution, 167, 169
processing by salt-cycle process, 45-7, 121-4, 193-5, 261-3
Fuel elements (Th-U), processing by salt-cycle process, 195
Fuel elements (UC), oxidation, 124-6
nitridation, 126-8
processing by CARBOX process, 195-7
Fuel elements (UC-graphite), combustion in oxygen, 180-1
Fuel elements (UO_2), decontamination, 123
processing, by AIROX process, 47-8, 195, 264
by fluoride-volatility processes, 109-11, 182, 245-7
Fuel elements (UO_2)(stainless-steel-clad), decladding by oxidation of stainless steel, 182-3, 246-7
decladding by oxidation of UO_2 to U_3O_8, 182, 246
Fuel elements (UO_2)(Zircaloy-clad), decladding by oxidation, 123
Fuel elements (UO_2-ZrO_2)(Zircaloy-clad), dissolution in HF systems, 89

Fuel elements (U-Zircaloy)(Zircaloy-clad), decladding by chloride-volatility process, 241-4
Fuel elements (U-Zr), processing by fused-salt volatility process, 29-34
Fuel elements (U-Zr alloy), dissolution, 88-9
processing by fluoride-volatility processes, 106-7
Fuel elements (U-Zr)(Al-clad), processing by dry halogenation, 23
Fuel elements (U-Zr)(Zircaloy-2 clad), processing by dry halogenation, 23
Fuel processing plants
See specific plants by name, e.g., Nuclear Fuels Services, Inc.
Fuels
See also specific materials used as fuels, e.g., Aluminum alloys (Al-U)
AEC prices for Pu and U, 228
AEC use charges, 160
fabrication, survey of firms for, 224
processing of irradiated, survey of firms for, 224
transportation of spent, survey of firms for, 224
Furnaces, bell-jar type, use in skull reclamation process, 255-6
electron-beam, melting of refractory and reactive metals, 255
Fused-salt electrolysis, 119
production, of Ce, 40
of U, 259
of UO_2, 291-3
Fused-salt volatility process, 28-34, 183-6, 248-50
Fused salts
See also specific fused-salt systems by name of constituent salts
evaluation for melt-refining process, 188

G

Gadolinium, distribution between liquid Bi and LiCl-KCl phases, 41
Gadolinium alloys (Cd-Gd), phase studies, 41
Garigliano Reactor
See Reactors (SENN)
Gaseous diffusion plants, production cutbacks, 223
Germany, commercial plants, 1
Glasses, ^{233}Pa adsorption by unfired Vycor, 233-4
waste conversion to, 210-12, 279-80
Glasses (phosphate)(molten), corrosive effects, 60
Gold, corrosion by UF_6, 248
Graphite
See Carbon (pyrolytic)
Graphite (impregnated), fission product leaching from, 169
Graphite systems (graphite-ThC_2), processing by ashing, chlorination, dissolution, and solvent extraction, 231
Graphite systems (graphite-ThC_2-UC_2), processing by combustion-chlorination and solvent extraction, 244-5
production, 78
Graphite systems (graphite-UC), combustion in oxygen, 180-1
processing, by chloride-volatility process, 107-9
by fluoride-volatility process, 107-9
by oxidation-fluorination process, 180-2, 244-5
Graphite systems (graphite-UC_2), processing by ashing, chlorination, dissolution, and solvent extraction, 231
Grundite clay, treatment of slightly contaminated water, 273

H

Hafnium, production by fused-salt electrolysis, 40
purification by electron-beam melting, 37
Halogenation processes
See Dry halogenation processes
Hanford Isotopes Production plant, 157-8
Hanford Laboratories, commercial processing plans, 157-8
transfer to Battelle Memorial Institute, 223
Hanford Plutonium Purification Facility, accident, fire, and venting of anion-exchange contactor, 297-303
Hastelloy-F alloy, corrosion by Purex wastes during pot calcination, 135
Hastelloy-X alloy, corrosion by molten-phosphate-glass alloy, 60
Hazards
See Accidents
Head end processes, 88-9, 167-9
Heat-Transfer Reactor Experiment
See Reactors (Heat-Transfer, Experiment)
Helium, effects, on high-temperature properties of steels, 44
on reaction rate in carbothermic reduction of U_3O_8, 266
High-Temperature Gas-Cooled Reactor (HTGR)
See Reactors (Peach Bottom)
High-Temperature Graphite Reactor
See Reactors (High-Temperature Graphite)
HTGR
See Reactors (Peach Bottom)
HTRE
See Reactors (Heat-Transfer, Experiment)
Hydraulic fracturing, of shales for final disposal of radioactive wastes, 140-1
Hydrochlorination, of U-Al fuel, 245
Hydrofluoric acid, corrosion, of Cu, 12
of Cr-Fe-Ni alloys, 12
of Monel, 12
of stainless steel (18-8, Ti stabilized), 12
dissolution, of U-Zr alloy in dilute, 88-9
U-Zr alloys, 11, 88-9
Hydrofluoric acid systems, dissolution of UO_2-ZrO_2 systems, 89
Hydrogen, UO_2 production from UO_3 by fluid-bed techniques, 288, 289
Hydrogen fluoride, sparging in MSRE-blanket processing, 264
UF_4 production from UO_2 using, fluid-bed techniques, 288-9
Hydrogen sulfide, reactions with UF_6, 26, 112
Hydrolysis, thorium carbides, 11
uranium carbides, 11
HyMu 80 alloy, corrosion in fused-salt volatility process, 31

I

ICPP process, 169-72
electrolytic dissolver operating data, 234
equipment design, 175-9
flowsheets, 170
fluid-bed calcination of wastes, 60-3
processing of enriched European reactor fuels, 83
TBP deterioration, 13-14
INCO-61 alloy, corrosion in fused-salt volatility process, 31
Inconel alloy, corrosion, by molten phosphate glass, 60
by UF_6, 248
use in equipment, for processing graphite-ThC_2 fuels, 231
for processing graphite-UC_2 fuels, 231
Indium, distribution between liquid Bi and LiCl-KCl phases, 41
INOR-8 alloy, corrosion, in chloride-volatility process, 243-4
in fused-salt volatility process, 31
Insurance, Nuclear Fuel Services, Inc., 223-4
Intermetallic compounds
Specific compounds are entered as alloys, e.g., Bismuth alloys (Bi-Li)
evidence of existence in molten-salt solution, 260
sintering aid use in production of UC, 265-6
Iodine, removal from EBR-II fuel by melt-refining process, 254-5
removal by melt-refining process, 36-8
Iodine-131, removal by fused-salt volatility process, 32
Ion exchange
See also ion-exchange materials, e.g., specific materials and resins; materials being recovered
centrifuged-bed technique for liquid wastes, 270-2
Ce removal, 131
Cs removal, 54
from liquid wastes, 269-70
fission-product recovery from Purex waste, 284-6
flowsheets, 132
liquid-waste treatment, 269-73
separation of fission products from waste streams, 141-2
Sr removal, 54
transuranic-element separation, 232-3
treatment of slightly contaminated water, 272
waste-disposal applications, 54-6, 131-4
Ion-exchange processes, fire accident at Hanford Pu-processing facility, 297-303
Np separation, 97
Pu separation, 98
rupture of anion-exchange column for Pu purification at Fontenay-aux-Roses, 303-4
Iron, distribution between liquid Bi and LiCl-KCl phases, 41
Iron Alloys
See alloys by trade name, e.g., Hastelloy F alloy, Hastelloy X alloy, Inconel alloy, INOR-8 alloy, Monel alloy, Stainless steels, and Steels
Iron alloys (Cr-Fe-Ni), corrosion, by HNO_3, 12
by H_2SO_4, 12
by HF, 12
Iron alloys (Fe-Pu), recovery of Pu by electrorefining process, 258
Iron alloys (Fe-Pu)(liquid), corrosion of various metals and alloys, 42-3, 260
viscosity, 42, 120
Iron alloys (Fe-U), sintering-aid use in production of UC, 265-6
Iron chlorides ($FeCl_3$), treatment of ORNL liquid wastes, 273
Iron sulfates ($FeSO_4$), treatment of slightly contaminated water, 272
Isotopes and Radiation Technology, announcement, 158
Italy, commercial plants, 1, 2

J

Japan, commercial plants, 1, 2
Japan Atomic Fuel Corp., fuel-processing plant design, 224
Jersey Central Nuclear Power Plant
See Reactors (Oyster Creek Power)
Joint Committee on Atomic Energy, proposed legislation to implement private ownership of nuclear fuels, 225

K

Kerr-McGee Oil Industries, Inc., fuel-processing plant construction, 224

Kilorod facility, 18-20
Krypton, removal by melt-refining process, 36-8

L

L-nickel alloy, corrosion in fused-salt volatility process, 31
LAMPRE
See Reactors (Los Alamos Molten-Plutonium, Experiment (LAMPRE)
Lanthanum, distribution between liquid Bi and LiCl-KCl phases, 41
Lanthanum alloys (Cd-La), thermodynamic properties, 192, 260
Lanthanum (liquid), physical properties, 42
Leaching, fission products from impregnated graphite fuels, 169
Lead, removal from U by electron-beam melting, 37
Lead (liquid), corrosion mechanisms in, 261
viscosity, 42
Lead alloys (Pb-Th), ^{233}U recovery by pyrometallurgical process, 259
Legislation (proposed), deferment of toll enrichment services until Jan. 1, 1969, discussion by JCAE, 225
discontinuation of leasing of nuclear fuel on Jan. 1, 1971, discussion by JCAE, 225
prohibition of enrichment in U. S. gaseous diffusion plants of foreign ores, discussion by JCAE, 225
Liability insurance, Nuclear Fuel Services, Inc., 223-4
Lignite, fission-product adsorption from low-level wastes, 132-3
Linde AW-400 molecular sieve, Cs removal from liquid wastes, 269-70
Liquid-metal–fused-salt extraction processes, 37-45, 116-21, 190-3, 255-61
Liquid metals
See Metals (liquid)
Literature surveys
See Bibliographies and literature surveys
Lithium alloys (Bi-Li), evidence for existence in molten-salt solution, 260
Lithium chloride, reactions with F_2, 113
Lithium chloride systems (Bi-KCl-LiCl)(fused), Cu distribution studies, 259
Lithium chloride systems (CsCl-LiCl), use in salt-cycle process, 46
Lithium chloride systems (CsCl-LiCl)(fused), spectrophotometric studies of plutonium species in, 262-3
Lithium chloride systems (LiCl-KCl)(fused), dissolution, of PuO_2-UO_2, 121-2, 262
of PuO_2-U_3O_8, 121-2
solvent for electrolytic dissolution of UC, 48, 50
spectrophotometric studies of U species in, 262
use in salt-cycle process, 45-7
Lithium chloride systems ($LiCl-MgCl_2$), use in salt-cycle process, 46-7
Lithium chloride systems ($LiCl-MgCl_2$-KCl)(fused), use in liquid-metal–fused-salt extraction, 118
Lithium fluoride systems (BaF_2-CeF_3-LiF), Ce recovery by electrowinning, 40
Lithium fluoride systems (LiF-NaF-ZrF_4), dissolution of U-Zr fuel elements, 29-30
Lithium fluorides (LiF), adsorption of PuF_6, 33
LITR
See Reactors (Low-Intensity Test)(LITR)
Los Alamos Molten-Plutonium Reactor Experiment
See Reactors (Los Alamos Molten-Plutonium, Experiment) (LAMPRE)
Low-Intensity Test Reactor
See Reactors (Low-Intensity Test)(Litr)

M

Magnesium, distribution between liquid Bi and LiCl-KCl phases, 41
precipitation from waste solutions, 57
volatilization from U by electron-beam melting, 37
Magnesium alloy systems ($MgCl_2$-Mg-Zn)(liquid) transuranic-element distribution, 258-9
Magnesium alloys (Cd-Mg-Zn)(liquid), solubility of U in, 257-8
use in liquid-metal–fused-salt extraction, 118
Magnesium alloys (Mg-Th), preparation by reduction of ThF_4, 39
fission-product removal by liquid-metal–fused-salt process, 259
thermodynamic data, 192
Magnesium alloys (Mg-Zn), distillation in skull reclamation process, 256-7
Magnesium alloys (Mg-Zn)(liquid), corrosive effects, 118
Magnesium chloride systems ($LiCl-MgCl_2$), use in salt-cycle process, 46-7
Magnesium chloride systems ($LiCl-MgCl_2$-KCl)(fused), use in liquid-metal–fused-salt extraction, 118
Magnesium chloride systems ($MgCl_2$-KCl-NaCl), use in salt-cycle process, 46-7
Magnesium chloride systems ($MgCl_2$-Mg-Zn)(Liquid), transuranic-element distribution, 258-9
Magnesium fluoride, adsorption of UF_6, 183
Manganese, distribution between liquid Bi and LiCl-KCl phases, 41
volatilization from U by electron-beam melting, 37
solubility, in liquid Zn, 41
in Hg, 41
Manganese alloys
See alloys by trade name, e.g., Inconel alloy and Monel alloy
Marcoule processing plant, 2, 158
Mass transfer, U to flowing Cd, 260-1
Materials Testing Reactor
See Reactors (Materials Testing)(MTR)
Melt-refining process, 36, 114-16, 188-90, 254-5
Melt vessels, continuous design for high-level waste, 280-2
Mercury, corrosion, of carbon steels, 43
of 18-8 stainless steel, 43
of Ta, 43
corrosion mechanisms in, 261
dissolution of various metals, 41, 43-4
evaluation of corrosion inhibitors for, 43-4
nonturbulent vaporization, 192
removal from waste solutions by packed columns, 282-3
volatilization in pot calcination of wastes, 281-2
Metals, reactive and refractory, melting by electron beams, 255
Metallurgy, vacuum, conference on, 37
Metals (liquid), bibliographies, 45
viscosity, formulas for determining, 41-2
Methane, bis (di-2-ethylbutylphosphinyl), complexing properties with heavy metals, 94
Methanol, reduction of U_3O_8, 47
Micro Pilot Plant (MPP), development, 54-6
Mixer-settlers, criticality control by use of B as poison in structure, 176
design and performance of high-capacity, 238-40
Molecular Sieve dryer, 114-5
Molecular sieves, Cs removal from liquid wastes, 269-70
Molten-Salt Reactor Experiment
See Reactors (Molten-Salt, Experiment) (MSRE)
Molybdenum, corrosion by liquid-alkali metals, 121
distribution between liquid Bi and LiCl-KCl phases, 41
sintering-aid use in production of UC, 265-6
Molybdenum alloys
See alloys by trade name, e.g., Hastelloy F alloy, Hastelloy X alloy, and INOR-8 alloy
Molybdenum alloys (Mo-Nb), corrosion by liquid Na, 44
Molybdenum fluorides (MoF_6), adsorption by NaF, 112-3
reactions with NO_2F, NOF, and NOCl, 112
Monel alloy, corrosion, by HF, 12
by HNO_3, 12
by H_2SO_4, 12
by UF_6, 248
MPP
See Micro Pilot Plant (MPP)
MSRE
See Reactors (Molten-Salt, Experiment) (MSRE)
MTR
See Reactors (Materials Testing)(MTR)

N

Neptunium, final disposal in deep rock chambers, 283-4
separation by Purex process, 16
Neptunium-237, separation, 96-8
NFS plant
See Nuclear Fuel Services, Inc.
Nichrome V alloy, corrosion in chloride-volatility process, 243-4
Nickel, corrosion by UF_6, 248
solubility in Hg, 41
Nickel alloys
See also alloys by trade name, e.g., A-nickel alloy, E-nickel alloy, L-nickel alloy, Hastelloy F alloy, Hastelloy X alloy, HyMu-80 alloy, Inconel alloy, INOR-8 alloy, Monel alloy, and Nichrome alloy
corrosion in fused-salt volatility process, 31
in fused-salt volaltility process, 185
Nickel alloys (Cr-Fe-Ni), corrosion, by HF, 12
by HNO_3, 12
by H_2SO_4, 12
Nickel alloys (Ni-U), sintering-aid use in production of UC, 265-6
Niobium, coating of UO_2 particles, 74
corrosion by liquid alkali metals, 121
production by electrolysis, 40
reduction from salts, 192
retention by waste–cement-mix slurries, 140-1
solubility in Hg, 41, 43-4
Niobium-95, removal by fused-salt volatility process, 32
decontamination factors in salt-cycle process, 262
Niobium alloys (Mo-Nb), corrosion by liquid Na, 44
Niobium alloys (Nb-Zr), corrosion by boiling Na, 44
Niobium fluoride systems (NbF_5-UF_6), UF_6 separation by distillation, 248
Nitric acid, corrosion of various metals, 12
dissolution of PuO_2-UO_2 systems, 167, 169
Nitridation, of UC, 48-50, 126-8
Nitrofluor process, 105-6, 180
Nitrogen, removal from A atmosphere, 251, 254
Nitrosyl chloride, reactions with MoF_6, WF_6, and UF_6, 112
Nitrosyl fluoride, reactions with MoF_6, WF_6, and UF_6, 112
Nitrosylruthenium complexes, studies of formation in Pu and U solvent extraction, 231-7
Nitryl fluoride, reactions with MoF_6, WF_6, and UF_6, 112-13
Nonaqueous processes, 22-53, 105-30, 180-99, 241-66

Nuclear Chemical Plant, Ltd., design of fuel-processing plant for Japan Atomic Fuel Corp., 224
Nuclear Fuel Services, Inc., contract with Jersey Central Power and Light Company, 161
liability insurance, 223-4
Nuclear poisons, use of B in stainless-steel process equipment, 175-6

O

Oak Ridge Gaseous Diffusion Plants, production cutbacks, 223
Off-gases, removal system for horizontal melt vessel, 280, 281
Waste Calcining Facility, decontamination factors, 276, 278
Oxidation
See also AIROX process and CARBOX process
of graphitic fuels, 8, 11, 180-1
uranium carbides, 124-6
UO_2 to U_3O_8, intermediate phases of, 264
Oxidation-fluorination process, bibliography, 245
graphite-UC fuel processing by, 180-2, 244-5
Oxide precipitation process, production of PuO_2 and UO_2 by, 263-4
Oxygen, reaction with UF_4 to produce UF_6, 291
removal from Argon Cell, 114-5
Oyster Creek Power Reactor
See Reactors (Oyster Creek Power)

P

Packaging, of radioactive materials, symposium, 1-2
Palladium, sintering-aid use in production of UC, 265-6
Passivation, 12
Pathfinder Reactor
See Reactors (Pathfinder Atomic Power Plant)
PCUT, 2, 4, 16-18
economics of integrated fuel-processing plant, 225
Peach Bottom Power Reactor
See Reactors (Peach Bottom)
Pebble-bed reactors
See Reactors (pebble-bed)
Permutit SK resin, Np adsorption, 98
*p*H, effects on PO_4^{-3} removal in foam-separation process, 274
Phase diagrams
See specific alloys and systems
Phenex process, 67-9
Phosphate glasses
See Glasses (phosphate)
Phosphate ions (PO_4^{-3}), removal in foam-separation process for liquid wastes, 273-5
Phosphine oxide, trioctyl-, solvent properties comparison with TBP, 93-4
Phosphonate, di-*sec*-butylphenyl, extractant for ^{233}U decay products, 18
Phosphoric acid, dibutyl, effect on stripping U from TBP-diluent systems, 172
Platinum, corrosion by UF_6, 248
distribution between liquid Bi and LiCl-KCl phases, 41
Plutonium, AEC price, 228
concentration by EBR-II blanket process, 257
electrorefining, 118-19
electrowinning, 119
final disposal in deep rock chambers, 283-4
physical properties, 190
polymerization, 13
production by electrolysis, 40
recovery from Fe-Pu alloys, 258
reduction, of compounds of, bibliography, 259
from salts, 192
with tetravalent uranium, 89-90, 171
separation, by fused-salt volatility process, 32-3
by salt-cycle process, 45-7
solubility in liquid Cd, 40-1, 120, 260
solvent extraction, Ru decontamination studies, 231-2
use, in fast reactors, economic comparison with U, 225-7
in thermal reactors, economic comparison with U, 227-8
volatilization, prevention during carbothermic reduction of U_3O_8, 266
Plutonium-242, separation, 94-5, 232-3
Plutonium alloys (Al-Pu), dissolution of highly irradiated, use of NaOH for Al phase, 230-1
processing by TBP process, 14-16
Plutonium alloys (Cd-Pu), phase studies, 41
thermodynamic properties, 260
Plutonium alloys (Ce-Co-Pu)(liquid), corrosion of Ta and Ta alloys, 260-1
Plutonium alloys (Fe-Pu), Pu recovery by electrorefining process, 258
Plutonium alloys (Fe-Pu)(liquid), corrosion of various metals and alloys, 42-3, 260
viscosity, 42, 120
Plutonium alloys (Pu-U), solubility in liquid Ca-Zn alloy, 40-1
processing by liquid-metal–fused-salt extraction, 191, 257-9
Plutonium carbide systems (PuC-UC), production, 76, 78, 219
Plutonium carbides (PuC), preparation, 219
Plutonium chloride systems (Pu-$PuCl_3$), phase studies, 190
Plutonium chlorides ($PuCl_3$), electrolytic reduction to metal, 219-20
Plutonium compounds, reduction, survey of literature, 259
Plutonium fluorides, conversion to PuO_2 by oxide precipitation process, 263-4
Plutonium fluorides (PuF_4), reactions, with NH_4F, 27
with NaF, 113
Plutonium fluorides (PuF_6), absorption spectrum of gaseous, 27
adsorption, on CaF_2, 33
on LiF, 33
preparation, review, 113
properties, 27-8, 113
reactions with CS_2, 26
separation from UF_6 by selective thermal decomposition, 113
Plutonium ions, spectrophotometric studies in CsCl-LiCl solutions, 262-3
Plutonium oxalate, conversion to PuO_2, 218-19
Plutonium oxides (PuO_2), preparation, 218-19
production by the oxide precipitation process, 263
Plutonium oxide systems (PuO_2-UO_2), dissolution, 167, 169, 231, 262
fabrication economics, 162-4
processing by salt-cycle process, 45-7, 121-4, 193-5
Plutonium oxide systems (PuO_2-U_3O_8), dissolution in fused LiCl-KCl, 121-2, 262
Plutonium-purification facility (Building 233-S, Hanford), accident, fire and venting of anion-exchange contactor, 297-303
Plutonium Recycle Test Reactor
See Reactors (Plutonium Recycle Test) (PRTR)
Plutonium systems (Pu-$PuCl_3$), phase studies, 190
Poisons
See Nuclear Poisons
Polonium, distribution between liquid Bi and LiCl-KCl phases, 41
Plutonyl ions, spectrophotometric studies in CsCl-LiCl solutions, 262-3
PM-3A
See Reactors (Portable Medium-Power Plant No. 3)
Portsmouth Gaseous Diffusion Plant, production cutback, 223
Pot calcination
See Calcination (pot)
Potassium chloride, reactions with F_2, 113
Potassium chloride systems (Bi-KCl-LiCl) (fused), distribution studies for various metals, 41, 259
Potassium chloride systems (LiCl-$MgCl_2$-KCl) (fused), use in liquid-metal–fused-salt extraction, 118
Potassium chloride systems (LiCl-KCl)(fused), dissolution, of PuO_2-UO_2, 262
of PuO_2-U_3O_8, 121-2
solvent for electrolytic dissolution of UC, 48, 50
spectrophotometric studies of U species in, 262
use in salt-cycle process, 45-7
Potassium chloride systems ($MgCl_2$-KCl-NaCl), use in salt-cycle process, 46-7
Potassium fluoride systems (AlF_3-KF-ZrF_4), phase diagram, 249
Potassium fluoride systems (AlF_3-KF-ZrF_4) (fused), dissolution of Al-U alloys, 249
Potassium fluoride systems (KF-ZrF_4), Al dissolution, 184-5
Praseodymium (liquid), physical properties, 42
Probes, eddy-current induction type for liquid metals, 259
Programme Ciclo Uranio Thorio
See PCUT
Promethium-147, separation from waste streams, 141-2
Protactinium, removal from MSRE blanket by precipitation of oxide, 264
Protactinium-233, recovery by adsorption on unfired Vycor glass, 233-4
symposium on chemistry of, held at Gatlinburg, April 1963, 233
PRTR
See Reactors (Plutonium Recycle Test) (PRTR)
Pulsed beds, 291
Purex process, 16, 89-90
centrifugal contactor design, 176-9
Np separation, 16
solvent degradation, 172-5
waste treatment and disposal, 54-6, 60, 62, 67-8, 131-2, 134-5, 143-4, 206-7, 280-6
PWR
See Reactors (Shippingport Pressurized-Water)(PWR)
Pyrochemical processes, 45
Pyrolytic carbon
See Carbon (pyrolytic)
Pyrometallurgical processes, 34-45, 113-21, 186-93, 250-61

R

Radiation protection guides, stored wastes, 283
Rapsodie Fast-Breeder Reactor
See Reactors (Rapsodie Fast-Breeder)
Rare earths
See also specific element, e.g., Cerium and Thorium
production by electrolysis, 40
removal, by fused-salt volatility process, 32
by melt-refining process, 36
by skull reclamation process, 38
separation from Purex-waste solutions, 67-8
Rare earths (actinides), pyrometallurgical extraction processes, 258-9

Rare earths (lanthanides), recovery from Purex waste, 284-6
Rare earths (actinides), final disposal in deep rock chambers, 283-4
Reactors (Advanced Gas-Cooled)(AGR), fuel-cycle economics, 85-6
Reactors (AVR Atomic Power Station), fuel oxidation, 8, 11
Reactors (Bodega Bay Power), fuel-cycle economics, 84
Reactors (Brookhaven Graphite), fuel-element crushing, 197
Reactors (Danish Organic)(DOR), fuel-cycle economics, 86
Reactors (Dragon), fuel fabrication, 217-18
Reactors (Elk River Power), fuel processing by PCUT process, 16-18
Reactors (Engineering Test)(ETR), fuel processing, 169-72
Reactors (Experimental Breeder II)(EBR-II), blanket processing, 257
economics of integrated fuel-processing plant, 225
fuel processing, by melt-refining process, 115-16, 188, 254-5
by pyrometallurgical processes, 34-9
fuel-processing facility, 250-4
Reactors (fast), economics, of fuel cycle, 159-60
of U-fueled vs. Pu-fueled, 225-7
fuel processing by pyrometallurgical processes, 34
programs in France, 159
Reactors (fast plutonium), fuel cycles, 165-6
Reactors (Heat-Transfer, Experiment), fuel-element dissolution at ICPP, 234
Reactors (High-Temperature Graphite), fuel processing in Kilorod facility, 20
Reactors (Indian Point Power)(CETR), fuel processing in Kilorod facility, 20
Reactors (Los Alamos Molten-Plutonium, Experiment)(LAMPRE-I), fuel-container materials, evaluation of Ta, 260
fuel processing by electrorefining process, 258
Reactors (Low-Intensity Test)(LITR), fuel processing, by fused-salt volatility process, 185-6
by solvent extraction, 169-72
Reactors (Materials Testing)(MTR), fuel processing by solvent extraction, 169-72
Reactors (Molten-Salt, Experiment)(MSRE), blanket processing, 264
Reactors (Oyster Creek Power), fuel cycles, 160-1
Reactors (Pathfinder Atomic Power Plant), fuel-element dissolution at ICPP, 234
Reactors (Peach Bottom), fuel fabrication, 217-18
fuel processing by volatility processes, 181-2
graphite-matrix fuel oxidation, 8, 11
Reactors (pebble-bed)
See also Reactors (AVR)
fuel oxidation, 8, 11
fuel processing in Kilorod facility, 20
Reactors (Plutonium Recycle Test)(PRTR), fuel-element dissolution, 167, 169
fuel processing, by salt-cycle process, 45-7, 121-4, 193-5, 261-3
by TBP process, 14-16
Reactors (Portable Medium-Power Plant No. 3), fuel-element dissolution at ICPP, 234
Reactors (Rapsodie Fast-Breeder), fuel-cycle costs, 165-6
Reactors (SENN), fuel processing by PCUT process, 16-18
Reactors (Shippingport Pressurized-Water)(PWR), fuel dissolution, 89
Reactors (Sodium, Experiment)(SRE), fuel processing in Kilorod facility, 19
mechanical decladding of fuel, 19
Reactors (Steam Generating Heavy-Water)(SGHW), fuel-cycle economics, 85-6
Reactors (thermal), economics of U-fueled vs. Pu-fueled, 227-8
Redox process, waste processing and disposal, 54-6, 206
Reduction
See also AIROX process, CARBOX process), and specific materials being reduced
Refractory metals
See also specific metals, e.g., Tantalum and Tungsten
melting by electron beams, 255
Resins
See specific resins by name, e.g., Amberlite IR-400 resin
Rhenium, dissolution in liquid Zn, 41
Rhenium-106 systems ($^{106}Rh-^{106}Ru$), decontamination factors in salt-cycle process, 262
Rock chambers, final disposal of radioactive waste in, 283-4
Rotary-ball kiln calcination
See Calcination (rotary-ball kiln)
Rover project, bibliography on fuel processing, 250
Rubidium chloride, reactions with F_2, 113
Ruthenium, adsorption on soils, 133
decontamination from Pu and U in solvent-extraction processes, 231-2
leaching from impregnated-graphite fuels, 169
removal, by ion exchange, 54-6, 132
by volatility processes, 182
retention by waste–cement-mix slurries, 140-1
volatilization during Purex-waste calcination, suppression of, 59-60
volatilization in salt-cycle process, 262
Ruthenium-106, decontamination factors for Waste Calcining Facility off-gases, 276, 278
removal by fused-salt volatility process, 32
Ruthenium fluorides (RuF_4), preparation, 28
Ruthenium-106 systems ($^{106}Rh-^{106}Ru$), decontamination factors in salt-cycle process, 262

S

Safety
See Accidents
economics of accidents, 6-7
Salt-cycle process, 45-7, 121-4, 193-5, 261-3
Salt mines, final disposal of radioactive wastes in, 137-40
Santophen-1 solvent, Cs separation from waste solutions, 67
St. Gobain Nucleaire, design of Japan Atomic Fuel Corp. fuel-processing plant, 224
Savannah River Plant, commercial processing of irradiated fuels, 224
land burial of wastes, 66-7
liquid-waste treatment, 269-70
Scandium, distribution between liquid Bi and LiCl-KCl phases, 41
Scavenging, low-activity wastes with NaOH, 133-4
Scrap, recovery of uranium by Kerr-McGee Industries, Inc., 224
SENN Reactor
See Reactors (SENN)
SGHW
See Reactors (Steam Generating Heavy-Water)(SGHW)
Shipping, of spent fuel elements, survey of firms for, 224
symposium on radioactive materials, Germantown, Md., December 1962, 1-2
Shipping casks, design, 1-2
economics, 2-3
specifications, 2-3
Shippingport Pressurized-Water Reactor
See Reactors (Shippingport Pressurized-Water)(PWR)
Silver, distribution between liquid Bi and LiCl-KCl phases, 41
solubility in Hg, 41
Sintering, UC, 216-17
UO_2, 215-16
Skull reclamation process, 37-8, 39, 187, 255-9
Slurries, waste–cement-mix, for final disposal of radioactive wastes, 140-1
Sodium (boiling), corrosion of Nb-Zr alloys, 44
Sodium (liquid), corrosion, of Mo-Nb alloys, 44
of Ta-W alloys, 260
effects, of C on corrosive properties, 44
on high-temperature properties of steels, 44
of O_2 on corrosive properties, 44
Sodium carbonate, treatment of ORNL liquid wastes, 273
Sodium chloride, effects of gamma radiation, 139-40
reactions with F_2, 113
Sodium chloride systems ($MgCl_2$-KCl-NaCl), use in salt-cycle process, 46-7
Sodium fluoride, adsorption of MoF_6 and WF_6, 112-13
chemical reactions, 112-13
reactions with PuF_4, 113
use in decontamination of UF_6, 112
Sodium fluoride systems (LiF-NaF-ZrF_4), dissolution of U-Zr fuel elements, 29-30
Sodium hydroxide, use, in dissolving highly irradiated Al-Pu and Al-U alloys, 230-1
in precipitating low-level wastes, 54, 133-4, 272-3
Sodium nitrate, Cs volatility suppression in pot calcination, 62
Sodium Reactor Experiment
See Reactors (Sodium, Experiment)(SRE)
Soils, use as ion-exchange materials, 133
Solidification of wastes, 57-66, 275-83
See also Fixation
Solvent extraction, use, in Th recovery from graphite-ThC_2 fuels, 231
in U recovery from graphite-UC_2 fuels, 231
Solvent-extraction processes, 13-16, 89-94, 142, 169-79
Be recovery from Be-moderated reactor fuel, 92-3
centrifugal contactor design, 176-9
mixer-settlers, design and performance of high-capacity, 238-40
pulsed plate columns, design and performance, 235-8
Ru decontamination studies, 231-2
Th recovery from graphite-ThC_2 fuels, 231
U recovery from graphite-UC_2 fuels, 231
Solvents, studies of new, 93-4
Sparging, in salt-cycle process, 121-2
MSRE-blanket processing, 264
Specifications, shipping casks, 2-3
Spray calcination
See Calcination (spray)
SRE
See Reactors (Sodium, Experiment)(SRE)
Stainless steel, corrosion, by Darex-process waste streams, 143-4
by Purex wastes during pot calcination, 135
by UF_6, 248
removal from UO_2 fuel elements by oxidation with HFO_3, 246-7
Stainless steels (18-8), corrosion by Hg, 43
Stainless steel (18-8, Ti-stabilized), corrosion, by HF, 12
by HNO_3, 12
by H_2SO_4, 12

Stainless steel (type 304), removal from EBR-II fuel elements by liquid Zn, 190
Stainless steels (type 310), corrosion by molten phosphate glass, 60
Stainless steel (boron containing), corrosion in ICPP process, 176
Steels, effects, of air on high-temperature properties, 44
of He on high-temperature properties, 44
of liquid Na on high-temperature properties, 44
Steels (carbon), corrosion by Hg, 43
Steam, reaction with $ZrCl_4$, 22
Steam Generating Heavy-Water Reactor
See Reactors (Steam Generating Heavy-Water)(SGHW)
Storage, high-level radioactive waste, 200-5
Strontium, adsorption on soils, 133
distribution between liquid Bi and LiCl-KCl phases, 41
recovery from Purex waste, 67-8, 284-86
removal, by ion exchange, 131, 133-4
by melt-refining process, 36
by skull reclamation process, 38
from slightly contaminated water, 273
retention by waste–cement-mix slurries, 140-1
Strontium-90, decontamination factors for Waste Calcining Facility off-gases, 276, 278
final disposal in deep rock chambers, 283-4
removal, by fused-salt volatility process, 32
by ion exchange, 54
from liquid waste by foam separation, 56-7, 273-5
from liquid waste by ion exchange, 54, 141-2
Sugar, use as a denitrating agent for Purex wastes, 66, 204
Sulfates, volatility in pot calcination, suppression by $Ca(NO_3)_2$, 62
Sulfuric acid, corrosion of various metals and alloys, 12
Symposia
See Conferences and Symposia

T

Tantalum, corrosion, by Hg, 43
by liquid alkali metals, 121
by liquid Ce-Co-Pu alloy, 260-1
by liquid Fe-Pu alloys, 42-3
by liquid metals, 193
by liquid U, 43
production by electrolysis, 40
solubility in Hg, 41, 43-4
Tantalum alloys, corrosion by liquid Ce-Co-Pu alloy, 260-1
Tantalum alloys (Ta-W), corrosion by liquid Na, 260
Tantalum alloys (Ta-W-Y), corrosion by liquid Fe-Pu alloys, 260
Tantalum alloys (Ta-Y), corrosion by liquid Fe-Pu alloy, 260
TBP
See Tributyl phosphate
TBP process, 14-16
See also Purex process
waste conversion to glasses, 279-80
waste, Hg removal, 281-3
Technetium, distribution between liquid Bi and LiCl-KCl phases, 41
reactions with F_2, 113
solubility in liquid Zn, 41
Technetium alloys (Tc-Zn), thermodynamic properties, 260
Technetyl fluorides (TcO_3F), preparation, 28
Tellurium, distribution between liquid Bi and LiCl-KCl phases, 41
reclamation by skull reclamation process, 38
removal, by fused-salt volatility process, 31-2
by melt-refining process, 36
Temperature, effects during UC production by carbothermic reduction of U_3O_8, 266
Thermodynamic properties
See specific alloys and systems
Thorex process, corrosive effects of waste streams, 143-4
Thorium, electrorefining, 118-19
extraction with dialkylamides, 93-4
production, by electrolysis, 40
from $ThCl_4$, 155
from ThO_2, 154-5, 259
purification, 93
by liquid-metal–fused-salt extraction, 191
recovery from graphite-ThC_2 fuels, 231
reduction from salts, 192
solubility in Hg, 41
solvent extraction, with bis (di-2-ethylbutylphosphinyl) methane, 94
with trioctylphosphine oxide, 93-4
Thorium alloys (Bi-Th), ^{233}U recovery by pyrometallurgical process, 259
Thorium alloys (Mg-Th), fission-product removal by liquid-metal–fused-salt process, 259
preparation by reduction of ThF, 39
thermodynamic data, 192
Thorium alloys (Pb-Th), ^{233}U recovery by pyrometallurgical process, 259
Thorium alloys (Th-U), processing, by liquid-metal–fused-salt extraction, 191
by PCUT process, 16-18
by salt-cycle process, 195
Thorium carbide systems (graphite-ThC_2), processing by ashing, chlorination, dissolution, and solvent extraction, 231
Thorium carbide systems (graphite-ThC_2-UC_2), processing by combustion-chlorination and solvent extraction, 244-45
production, 78
Thorium carbides (ThC), hydrolysis, 11
Thorium carbides (ThC_2), production, 80
Thorium chlorides ($ThCl_4$), reduction to metal, 155
Thorium fluoride (ThF_4), reduction with Mg for Mg-Th alloy production, 39
Thorium fuel cycle, conference, Gatlinburg, Tenn., December 1962, 3-5
economics, 3-5
Thorium nitrates, conversion to ThO_2, 79-80
Thorium oxide, conversion to ThC_2, 80
Pa removal from MSRE blanket by, 264
production, 79-80
reduction to metal, 154-5, 259
U removal from MSRE blanket by, 264
Thorium oxide systems (ThO_2-UO_2), processing in Kilorod facility, 20
Tin, distribution between liquid Bi and LiCl-KCl phases, 41
Tin alloys
See alloys by trade name, e.g., Zircaloy-2 alloy
Titanium, electrorefining, 118-19
induction zone melting, 190
production by electrolysis, 40
removal of N_2 from Ar by, 251, 254
solubility in Hg, 41, 43-4, 120
use, as corrosion inhibitor in Hg, 43
in equipment for processing graphite-ThC_2 fuels, 231
in equipment for processing graphite-UC_2 fuels, 231
Transportation
See Shipping
Transuranic elements
See also specific elements
distribution between $MgCl_2$ and Mg-Zn alloys, 258-9
separation, 94-102, 232-3
Transuranium Processing Plant, design, 98-102
Tributyl phosphate, degradation, in ICPP process, 13-15
in Purex process, 172-5
Pu and U solvent extraction by, Ru complexing problems in, 232-3
Trioctyl phosphine oxide
See Phosphine oxide, trioctyl-
Trucking
See also Shipping
hazards, 3
Tungsten, corrosion, by liquid alkali metals, 121
by liquid Cr-U alloys, 43
by liquid U, 43
distribution between liquid Bi and LiCl-KCl phases, 41
sintering-aid use in production of UC, 265-6
Tungsten alloys (Ta-W), corrosion by liquid Na, 260
Tungsten alloys (Ta-W-Y), corrosion by liquid Fe-Pu alloy, 260
Tungsten fluorides (WF_6), adsorption by NaF, 112-3
reactions with NO_2F, NOF, and NOCl, 112

U

UAP process, 151-3
UNH
See Uranyl nitrate hexahydrate
flowsheets, 152
United Kingdom, Dounreay processing plant, 2
fuel-cycle economics, 85-6
Windscale processing plant, 2
United States, commercial plants, 1, 2
fuel-cycle economics, 84-5, 86-7
Uranium, book, *Uranium, Metallurgy of the Rarer Metals*, 255
electrorefining, 118-19, 295
electrowinning from UO_2, 39-40
mass transfer to flowing Cd, effects of metallurgical treatment, 260-1
mass-transfer rates through centrifugal contactor, 177
powders of, production in pulsed-bed reactor, 291
production, 79
by electrolysis, 40
by electrolytic reduction of UO_2 in fused salts, 291
by electrolytic reduction of U salts, 259
by reduction of oxides in liquid-metal–fused-salt systems, 259
from UF_6 by Kerr-McGee Industries, Inc., 224
from UO_2 by carbon reduction, 150-1
from UO_2 by electrolytic reduction in fluoride melts, 294-5
purification by volatilization of impurities during electron-beam melting, 36-7
recovery, from graphite-UC_2 fuels, 231
by liquid-metal–fused-salt extraction, 118
from ores, 146
from refinery wastes, 151-4
from scrap by Kerr-McGee Industries, Inc., 224
removal from MSRE blanket by precipitation of oxide, 264
solubility, in Cd-Mg-Zn alloy, 257-8
in Hg, 41
solvent extraction, Ru decontamination studies, 231-2
with bis (di-2-ethylbutylphosphinyl) methane, 94
with dialkylamides, 93-4
with trioctylphosphine oxide, 93-4
stripping from TBP-diluent systems, effect of dibutyl phosphoric acid on, 172
use, in fast reactors, economic comparison with plutonium, 225-7

Uranium, use (Continued)
in thermal reactors, economic comparison with Pu, 227-8
of tetravalent for Pu reduction, 171
Uranium (liquid), corrosion, of Ta, 43
of W, 43
handling, 189
Uranium (enriched), production cutback, 223
Uranium-233, AEC price, 228
recovery from Th alloys by pyrometallurgical process, 259
Uranium-235, processing by salt-cycle process, 195
production cutback, 223
Uranium alloys (Al-U), dissolution, in recirculating dissolver at ICPP, 234-5
of highly irradiated, use of NaOH for Al phase, 230
hydrochlorination, 245
processing, by chloride-volatility process, 243-5
by Eurex process, 90-2
by fluoride-volatility processes, 241-4
by fused-salt volatility process, 183-6, 248-50
sintering-aid use in production of UC, 265-6
Uranium alloys (Cr-U)(liquid), corrosion of W, 43
Uranium alloys (Fe-U), sintering-aid use in production of UC, 265-6
Uranium alloys (Ni-U), sintering-aid use in production of UC, 265-6
Uranium alloys (Pu-U), processing by liquid-metal–fused-salt extraction, 191
solubility in liquid Ca-Zn alloy, 40-1
Uranium alloys (Th-U), processing, by liquid-metal–fused-salt extraction, 191
by PCUT process, 16-18
by salt-cycle process, 195
Uranium alloys (U-Zr), chlorination, high-temperature, 89
dissolution, in HF, 11, 88-9
in LiF-NaF-ZrF_4 systems, 29-30
processing, by dry halogenization, 22-3
by fluoride-volatility processes, 106-7, 241-4
by fused-salt volatility process, 29-34, 248-9
Uranium beryllides (UBe_{13}), production, 78-9
Uranium carbide systems (graphite-UC), combustion in oxygen, 180-1
processing, by chloride-volatility processes, 108-9
by fluoride-volatility processes, 107-9
by oxidation-fluorination process, 180-2, 244-5
Uranium carbide systems (graphite-UC_2), processing by ashing, chlorination, dissolution, and solvent extraction, 231
Uranium carbide systems (graphite-ThC_2-UC_2), processing by combustion-chlorination and solvent extraction, 244-5
production, 78
Uranium carbide systems (PuC-UC), production, 76, 78, 219
Uranium carbides (UC), coating, with ceramics, 217-18
of particles with C, 76
electrolytic dissolution in fused LiCl-KCl, 48, 50
hydrolysis, 11
nitridation, 48-50, 126-8
oxidation, 48-9, 124-5, 197
processing by CARBOX process, 195, 265-6
production, by carbothermic reduction of U_3O_8, 217, 265-6
from UO_2, 75, 148
sintering properties, 216-17
thermodynamic properties, 148-9
Uranium carbides (UC_2), production, 74-6
thermodynamic properties, 148-9
Uranium carbonates, reduction to UO_2, 72
Uranium fluoride systems (BrF_5-UF_6), UF_6 separation by distillation, 248
Uranium fluoride systems (NbF_5-UF_6), UF_6 separation by distillation, 248
Uranium fluoride systems (VF_5-UF_6), UF_6 separation by distillation, 248
Uranium fluorides (UF_4), conversion, to UC, 74-5
to UF_6, 183
to UO_2, 263
fluorination, 26
production, from ammonium polyuranate in pulsed-bed reactor, 291
from UO_2 in fluid beds, 288, 289
reactions, with NH_4F, 27
with ClF_3, 26
with O_2 to produce UF_6, 291
reduction to metal, 79
Uranium fluorides (UF_5), preparation and properties, 183
Uranium fluorides (UF_6), adsorption on MgF_2 pellets, 183
chemical reactions, 112-13
conversion, to UF_5, 183
to UO_2, 214-15
to UO_2 and metal by Kerr-McGee Oil Industries, Inc., 224
corrosion of various metals and alloys, 248
decontamination by treatment with NaF, 112
distillation studies, 248
preparation, by ClF_3 and UO_2F_2 reaction, 247-8
in fluid beds from UF_4 and O_2, 291
reactions, with CS_2, 26
with H_2S, 26, 112
with NO_2F, NOF, and NOCl, 112
separation from fluoride systems by distillation, 248
thermodynamic properties, 25-6, 112
Uranium fluorides (U_2F_9), preparation, 26
Uranium fuel cycle, 5-6
Uranium hydrides, production in pulsed-bed reactor, 291
Uranium ingots, purification by electron-beam melting, 36-7
Uranium ions (U^{4+}), spectrophotometric studies in KCl-LiCl solutions, 262
Uranium nitrates [$U(NO_3)_4$], Pu reduction, 89-90
Uranium nitrides (UN), advantages for reactor fuel use, 149-50
preparation, 78, 150
production, 78
Uranium ores, direct reduction of concentrates, 151
processing in fluid beds, 288-9
Uranium oxide systems (PuO_2-UO_2), dissolution, 167, 169, 231, 262
fabrication economics, 162-4
processing by salt-cycle process, 45-7, 121-4, 193-5
Uranium oxide systems (PuO_2-U_3O_8), dissolution in fused LiCl-KCl, 121-2, 262
Uranium oxide systems (ThO_2-UO_2), processing in Kilorod facility, 20
Uranium oxide systems (UO_2-ZrO_2), dissolution in HF systems, 89
Uranium oxides, Pa removal from MSRE blanket by, 264
reduction to metal in liquid-metal–fused-salt system, 259
uranium removal from MSRE blanket by, 264
Uranium oxides (UO_2), coating of particles, with Nb, 74
with pyrolytic carbon, 73-4
conversion, to UC, 75, 148
to UC_2, 75
to UF_4 in fluid beds, 288-9
decontamination, 123
electrolytic reduction to U, 39-40, 150, 259, 291, 294-5
fluorination, 26
hydrofluorination, 71
oxidation, 72, 123-4
to U_3O_8, intermediate phases of, 264
production, 71-4
from fluorides in molten chloride solvents, 263-4
by precipitation from carbonate solutions, 293
by UO_2Cl_2 reduction, 291-3
by $UO_2(NO_3)_2$ reduction, 146-7
from UF_6, 214-15
from UF_6 by Kerr-McGee Oil Industries, Inc., 224
from UO_3, 71-2, 214, 288-9
from U_3O_8 in fluid beds, 289
reactions, with Cl_2, 122-3
with molten chlorides, 122-3
reduction to U, with C, 150-1
processing, by AIROX process, 47-8, 195
by chloride-volatility processes, 24
by fluoride-volatility processes, 109-11, 245
by volatility processes, 182
sintering properties, 215-16
effect of different atmospheres, 293-4
Uranium oxides (UO_3), production from $UO_2(NO_3)_2$ in fluid beds, 288
reduction to UO_2, 71, 72, 214
in fluid beds, 288
Uranium oxides (U_3O_8), carbothermic reduction to UC, 265-6
conversion to UC, 217
fluorination, 26
preparation, from UC, 125-6
from UO_2, intermediate oxidation phases, 264
reduction, to UO_2 in fluid beds, 289
with methanol, 47
Uranyl chloride, electrolytic reduction to U, 147-8
reduction to UO_2, 291-3
Uranyl chlorides (UO_2Cl_2), equilibrium constant for formation in KCl-NaCl solution, 262
Uranyl fluoride, fluorination, 26
reaction, with ClF_3 for UF_6 production, 247-8
with CsF, 27
Uranyl nitrate hexahydrate, conversion, to UO_2, 71-2, 146-7
to UO_3 in fluid beds, 288

V

Valves, freeze type, for continuous melt vessel, 281
Vacuum metallurgy, conference, 37
Vanadium, electron-beam melting, 190
induction zone melting, 190
purification by vacuum distillation, 190
reduction from salts, 192
Vanadium fluoride systems (VF_5-UF_6), UF_6 separation by distillation, 248
Vaults (concrete), for final disposal of radioactive wastes, 135-7
Vermiculite, liquid-waste decontamination by centrifuged-bed technique, 270-2
Vertical zone melting, 116
Vessels
See Dissolvers and Melt vessels
Volatility processes, 22-34, 105-13, 180-6, 241-50
See also Chloride-volatility processes, Direct-fluorination processes, Dry halogenation processes, Fluoride-volatility processes, Fused-salt volatility processes, Nitrofluor process, and Zircex process
Vycor glass, ^{233}Pa adsorption, 233-4

W

Waste processing and disposal, 54-69, 131-45, 200-13, 269-86
calcination, 57-66, 134-5, 205-10, 275-83
corrosion of storage tanks, 143
deep impermeable formations, 283-4
evaporation, 200-5
firms offering services, 224
fixation in glasses, 210-12
foam separation, 56-7, 134, 273-5
hydraulic fracturing, 140-1
ion-exchange processes, 54-6, 131-4, 269-73
land burial, 66-7
radioisotope removal, 67-8, 141-3, 284-6
storage of calcined solids, 134-40
Water, contaminated, treatment by scavenging-precipitation ion-exchange process, 272-3
Weinrich and Dart, design of Japan Atomic Fuel Corp. fuel-processing plant, 224
West German Pebble-Bed Reactor
See Reactors (AVR)
Winlo process, 153-4
Wolfram
See Tungsten

X

Xenon, removal by melt-refining process, 36

Y

Ytterbium alloys (Cd-Yb), phase studies, 41
Yttrium, reduction from salts, 192
removal, by melt-refining process, 36
by skull reclamation process, 38
Yttrium-91, decontamination factors in salt-cycle process, 262
Yttrium alloys (Ta-W-Y), corrosion by liquid Fe-Pu alloy, 260
Yttrium alloys (Ta-Y), corrosion by liquid Fe-Pu alloy, 260

Z

Zeolite, adsorption of fission products from waste streams, 141-2
Zinc, distribution between liquid Bi and LiCl-KCl phases, 41
Zinc (liquid), dissolution of various metals and alloys, 41
viscosity, 42
Zinc alloy systems ($MgCl_2$-Mg-Zn)(liquid), transuranic element distribution, 258-9
Zinc alloys (Ca-Zn)(liquid), extraction of Pu-U alloys, 40-1
Zinc alloys (Cd-Mg-Zn)(liquid), solubility of U in, 257-8
use in liquid-metal–fused-salt extraction, 118
Zinc alloys (Ce-Zn), thermodynamic properties, 192
Zinc alloys (Mg-Zn), distillation in skull reclamation process, 256-7
Zinc alloys (Mg-Zn)(liquid), corrosive effects, 118
Zinc alloys (Tc-Zn), thermodynamic properties, 260
Zircaloy-2, cladding, removal with O_2, 123
Zircex process, 89
Zirconium, dissolution in Nitrofluor process, 190
induction zone melting, 190
leaching from impregnated-graphite fuels, 169
production by electrolysis, 40
removal, by ion exchange, 131
by melt-refining process, 36
by skull reclamation process, 38
by volatility processes, 182
retention by waste–cement-mix slurries, 140-1
solubility in Hg, 41, 43-4
use as corrosion inhibitor in Hg, 43
Zirconium-95, decontamination factors in salt-cycle process, 262
removal by fused-salt volatility process, 32
Zirconium alloys
See alloys by trade name, e.g., Zircaloy-2 alloy
Zirconium alloys (Nb-Zr), corrosion by boiling Na, 44
volatilization in salt-cycle process, 262
Zirconium alloys (U-Zr), chlorination, high-temperature, 89
dissolution in HF, 11, 88-9
processing, by dry halogenization, 22-3
by fluoride-volatility processes, 106-7, 241-4
by fused-salt volatility process, 29-34, 248-9
Zirconium chlorides ($ZrCl_4$), reactions with steam, 22
Zirconium fluoride systems (AlF_3-KF-ZrF_4), phase diagram, 249
Zirconium fluoride systems (AlF_3-KF-ZrF_4) (fused), dissolution of Al-U alloys, 249
Zirconium fluoride systems (KF-ZrF_4), Al dissolution, 184-5
Zirconium fluoride systems (LiF-NaF-ZrF_4), dissolution of U-Zr fuel elements, 29-30
Zirconium oxide systems (UO_2-ZrO_2), dissolution in HF systems, 89

LEGAL NOTICE

This journal was prepared under the sponsorship of the U. S. Atomic Energy Commission. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this journal, or that the use of any information, apparatus, method, or process disclosed in this journal may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this journal.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.